
Bella Citta®



9 Series PLUS with UV Urethane




Crafted from Old World European Designs

Antiqued Hardwood Flooring

9 Series PLUS with UV Urethane



Each Bella Citta Floor follows a recipe of treatments to produce the final surface color and texturing. To achieve each wide-planks unique beauty, the planks can take 7 to 21 days of crafting during the color & treatment phase of production. Unlike a simple staining process that generally takes 20 minutes from start to finish, a Bella Citta hardwood floor of art can take weeks with multiple layers of color treatments. Our treatments include smoking, reactive staining, wire-brushing, hand-scraping, liming, white-washing and final surface coating. Each Bella Citta color recipe is uniquely different with a depth of color that is unachievable through simple staining. We are passionate about producing the very best looking hardwood floors in the world.




About Photo

Product photos and website images are to offer an impression and examples of the appearance of the floor. The color, grain and character variations shown may vary from actual flooring due to the limitations in the reproduction of photography or the monitor resolutions.

Antiqued Hardwood Flooring

9 Series PLUS with UV Urethane





About Photo

Product photos and website images are to offer an impression and examples of the appearance of the floor. The color, grain and character variations shown may vary from actual flooring due to the limitations in the reproduction of photography or the monitor resolutions.



NATURAL BEAUTY

- Same trees as used to make red wine and bourbon barrels.
- Selectively harvested at full maturity often well over a century old from the managed forest.
- French/German White Oak, rich in tannins, combined with our proprietary fuming process creates natural colors without adding traditional stain.

HIGH QUALITY & HIGH VALUE

- Features a strong 3-ply cross-grain core (Bahamas, Neutrino, Biarritz, Moorea & Papeete) or 7-layer plywood core (Palermo XW, Spezia XW & Turin Bianco XW) construction. This design resists shrinkage, expansion and warping from seasonal changes. A hardwood core enhances stability.
- Radiant heat compatible (Bahamas, Neutrino, Biarritz, Moorea and Papeete).

LONG LIFE

- Ultra-matte UV Urethane finish (Bona Naturale on Biarritz, Moorea & Papeete) no oil, no wax, no worry.
- Full 3.2mm or 4mm hardwood surface re-sandable up to 3x.
- Repairable.

LIVE SAWN SOLID TOP WEAR LAYER

- Logs are "live-sawn". By cutting straight through the log, you get a high percentage of spectacular and stable quartersawn sections with medullar flecks and cathedral grain all in the same plank. Wide live-sawn planks show the various idiosyncrasies of each log, including knots, pith or mineral deposits.
- Natural variations occur by using the whole log adding unique character and personality to each room.

WARRANTY

- Lifetime Structural Warranty
- 50 year Residential Surface Warranty
- 1 year Light Commercial Surface Warranty



9 Series PLUS ENVIRONMENTAL CHOICE

ENVIRONMENTALLY AND SOCIALLY RESPONSIBLE SOURCES

- Harvested only from certified forests.
- Selectively harvested at full maturity often well over a century old from the managed forest.
- Lacey Act Compliant.

HEALTHY PRODUCT COMMITMENT

- CARB II compliant.
- No added formaldehyde (Biarritz, Moorea & Papeete).
- No VOCs.
- FloorScore.



CONTRIBUTES TO LEED CREDITS

Relevant LEED Credits

- IEQ 4.4 (Low Emitting Materials: Composite Wood and Agrifiber Products)

 To achieve a point under IEQ 4.4, "...composite wood and agrifiber products used on the interior of the building (defined as inside of the weatherproofing system) shall contain no added urea-formaldehyde resins..." Under EQ 4.4, composite wood and agrifiber products are defined as particleboard, medium density fiberboard (MDF), plywood, wheatboard, strawboard, engineered wood flooring, panel substrates and door cores.
- IEQ 4.3 (Low-emitting materials flooring systems)
 All hard surface flooring installed in the building interior must meet one of the following requirements: Meet the requirements of the FloorScore² standard (current as of the date of this rating system, or more stringent version) as shown with testing by an independent third-party. Continue reading the requirement on USGBC homepage.

9 Series PLUS with UV Urethane

bella citta

PRODUCT SPECIFICATION & PARTS LIST

LUD 11/10/20

| Board Dimension | Designer colors : 9/16" x 9.5" x RL (24"-84") Core colors : 5/8" x 9.5" x RL (24"-86") | | | | |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|
| Top Wear Layer | Designer colors : 3.2 mm Live Sawn Solid Top Wear Layer Core colors : 4 mm Live Sawn Solid Top Wear Layer | | | | |
| Construction | Designer colors: 1 Strip Wide Plank, 3-ply Engineered with Hevea middle layer. Core colors: 1 Strip Wide Plank, 7 multi-ply Engineered with Eucalyptus plywood middle layer. Tongue & groove, end-matched. CARB 2 Certified Plywood Core = emissions<.05ppm. | | | | |
| Finish | Designer colors : Bona Naturale Ultra-Matte UV Urethane Finish. Core colors : Ultra-Matte UV Urethane Finish. | | | | |
| Use | Residential, Commercial (light to medium traffic). | | | | |
| Installation | Glue down, Nail/Staple down, Floating. Can be installed on, above and below grade. Radiant heat compatible (Designer colors). Refer to the Bella Citta Installation Guide for detailed installation instructions. | | | | |
| Package | Designer colors: 33.02 Sq.ft. / Carton Core colors: 34.10 Sq.ft. / Carton | | | | |
| Quantity / Pallet | Designer colors : 44 Cartons / Pallet, 1,452.88 Sq.ft. / Pallet Core colors : 24 Cartons / Pallet, 818.40 Sq.ft. / Pallet | | | | |
| Weight | Designer colors: 63.40 Lbs / Carton Core colors: 69.00 Lbs / Carton | | | | |
| Carton Dimension | 3.5" x 9.75" x 84.5" | | | | |
| MC on Delivery | 9 - 13% | | | | |
| Warranty | 50 Year Limited Finish Warranty and Lifetime Limited Structural Integrity Warranty. 1 Year Commercial Finish Warranty. See Bella Citta Warranty guide at www.bellacittafloors.com for specific details. | | | | |
| Maintenance | Vacuum regularly to keep surface clean from foreign objects. See Bella Citta Maintenance guide at www.bellacittafloors.com for specific details. | | | | |

| Pattern | Product Code | Species | Grade | Treatments and Features |
|-----------------|--------------------|---------------------------|-------------|-------------------------------------------------------------------------------------|
| BAHAMAS | CDM BC09 BAHAMAS | French / German White Oak | Casual | Reactive Stained. |
| NEUTRINO | CDM BC09 NEUTRINO | French / German White Oak | Casual PLUS | Reactive Stained. |
| BIARRITZ | CDM BC09 BIARRITZ | French / German White Oak | Casual | Smoked, Reactive Stained. |
| MOOREA | CDM BC09 MOOREA | French / German White Oak | Casual | Smoked, Reactive Stained. |
| PAPEETE | CDM BC09 PAPEETE | French / German White Oak | Casual | Smoked, Reactive Stained. |
| PALERMO XW | CDM BC09 PALERMOXW | French / German White Oak | Casual | Smoked, White-washed, Lightly brushed, Wire-brushed, Handscraped, Reactive Stained. |
| SPEZIA XW | CDM BC09 SPEZIAXW | French / German White Oak | Casual | Wire-brushed, Reactive Stained. |
| TURIN BIANCO XW | CDM BC09 TURINBIXW | French / German White Oak | Casual | Wire-brushed, Stained. |

About Photo

Product photos and website images are to offer an impression and examples of the appearance of the floor. The color, grain and character variations shown may vary from actual flooring due to the limitations in the reproduction of photography or the monitor resolutions.